



TECHNO INDIA NJR INSTITUTE OF TECHNOLOGY

Approved by AICTE & Affiliated to Rajasthan Technical University

www.technonjr.org

NJR Knowledge Campus, Plot-SPL-T, Bhamashah (RIICO) Industrial Area, Kaladwas, Udaipur - 313003 (Raj.)
Tel. : +91 2942650214-17 Fax :+91 2942650218, Email : technonjr@gmail.com, director@technonjr.org

METRIC ID: 4.3.3	Bandwidth of internet connection in the Institution Change Input (Optional): <input type="radio"/> E. < 05 MBPS <input type="radio"/> D. 05 MBPS – 10 MBPS <input type="radio"/> C. 10 MBPS – 30 MBPS <input type="radio"/> B. 30 MBPS – 50 MBPS <input type="radio"/> A. ≥50 MBPS
DVV Findings	Please provide as per SOP (a). Band width of internet connection (b). invoices or supporting document on internet band width use and number of machines utilizing the band width (c). Please provide invoices/bills and not quotations for WiFi connectivity showing bandwidth/ broad band connectivity with band width. Please provide a letter signed by the competent authority stating information regarding WiFi and broadband connection

Response: -

The Institute has two internet connection of bandwidth **60MBPS (30 MBPS + 30 MBPS)** supporting invoices of both the connections for the month of April 2020 are attached as per the following table.

S.No.	Invoice Number	Date	Amount	Bandwidth
1	PIPLB202021/ 53	01 Apr 2020	24780/-	30 MBPS
2	PIPLB202021/ 63	01 Apr 2020	24780/-	30 MBPS
TOTAL			49560/-	60 MBPS

Both the internet lines are protected by SOPHOS firewall and connected to 450 machines in various labs through LAN. In addition there is WiFi access for student and faculty laptops. A report of SOPHOS is attached below to show the machines utilizing the bandwidth.

For Techno India NJR Institute of Technology
पंकज पौरवाल
Dr. Pankaj Kumar Porwal
(Principal)

TAX INVOICE

Prompt Infracom Private Limited

Plot No. 7 Road No. 12 Khempura IT Park Madri Industrial Area
 Udaipur Rajasthan - 313001
 CALL :0294 -2981111/2, +91 7230021755
 E-MAIL : accounts@promptinfracom.com
 WEB: www.promptinfracom.com
 GSTIN: 08AAICP7140D1Z1 CIN:U74999RJ2016PTC055584
 PAN: AAICP7140D



Customer Name: Techno India Njr Institution Of Technology User Name: techno1 Contacts: Emails: GSTIN:	Billing Address KALADWAS INDUSTRIAL AREA, Udaipur Rajasthan, 313001, India PAN No:	Sales Invoice No : PIPLB202021/53 Date : 01 Apr 2020 Sales No: +91 -95498-98988 Customer Support No.: +91-8094778601/02/03,0294-2981111/2 Customer Support Mail: Support@promptinfracom.com
--	---	---

Particular	Duration	Amount	Tax %	Tax Amount	Gross Amount (Including Tax)
ILL: 30Mbps(1:1)-Techno1 Start Date: 2020-04-01 End Date: 2020-04-30 DATA AND COMMUNICATION RECURRING CHARGES BANDWIDTH (30Mbps)(1:1)	1.00 months	21,000.00	18.00	3,780.00	24,780.00

Sum of Goods and Service Tax :				Gross Amount:	INR 24780.00
HSN/SAC	Taxable Value	CGST Rate % Amount	SGST Rate % Amount	Discount:	INR 0.00
	21000	9.00 1890	9.00 1890	Round Off:	INR 0.00
	Total:	1890	1890	Net Amount:	INR 24780.00
Last Balance: INR 870 Narration :				Amount In Words : Twenty Four Thousand Seven Hundred Eighty	

Terms and conditions :

- All payments should be 100% advance in favour of Prompt Infracom Pvt. Ltd.
- Payment made against the invoice will not be refunded back.
- Charges will be payable irrespective of termination/cancellation/degradation during the invoice period.
- Goods & service tax/any other tax or govt.duties will be applicable as per govt.norms.
- Any govt.clearance or any other clearance required for installation/commissioning of any service or device installation will be client's responsibility.
- Any govt.rule or statutory mandate will be implied as per laws.
- Any other condition applicable as per purchase order issued.

For Techno India NJR Institute of Technology

पंकज पोखरण
 Dr. Pankaj Kumar Porwal
 (Principal)

For : Prompt Infracom Pvt. Ltd.

TAX INVOICE

Prompt Infracom Private Limited

Plot No. 7 Road No. 12 Khempura IT Park Madri Industrial Area
 Udaipur Rajasthan - 313001
 CALL : 0294 -2981111/2, +91 7230021755
 E-MAIL : accounts@promptinfracom.com
 WEB: www.promptinfracom.com
 GSTIN: 08AAICP7140D1Z1 CIN:U74999RJ2016PTC055584
 PAN: AAICP7140D



Customer Name: Techno India Njr Institution Of Technology User Name: techno Contacts: Emails: madhuverdia@gmail.com accounts@technonjr.org GSTIN:	Billing Address KALADWAS INDUSTRIAL AREA, UDAIPUR Rajasthan, 313001, India PAN No:	Sales Invoice No : PIPLB202021/63 Date : 01 Apr 2020 Sales No: +91 -95498-98988 Customer Support No.: +91-8094778601/02/03,0294-2981111/2 Customer Support Mail: Support@promptinfracom.com
--	---	---

Particular	Duration	Amount	Tax %	Tax Amount	Gross Amount (Including Tax)
ILL: 30Mbps(1:1)-Techno1 Start Date: 2020-04-01 End Date: 2020-04-30 DATA AND COMMUNICATION RECURRING CHARGES BANDWIDTH (30Mbps)(1:1)	1.00 months	21,000.00	18.00	3,780.00	24,780.00

Sum of Goods and Service Tax :					
HSN/SAC	Taxable Value	CGST Rate %	Amount	SGST Rate %	Amount
	21000	9.00	1890	9.00	1890
	Total:		1890		1890

Gross Amount:	INR 24780.00
Discount:	INR 0.00
Round Off:	INR 0.00
Net Amount:	INR 24780.00
Amount In Words : Twenty Four Thousand Seven Hundred Eighty	

Last Balance: INR 870
 Narration :

Terms and conditions :

- All payments should be 100% advance in favour of Prompt Infracom Pvt. Ltd.
- Payment made against the invoice will not be refunded back.
- Charges will be payable irrespective of termination/cancellation/degradation during the invoice period.
- Goods & service tax/any other tax or govt.duties will be applicable as per govt.norms.
- Any govt.clearnace or any other clearance required for installation/commissioning of any service or device installation will be client's responsibility.
- Any govt.rule or statutory mandate will be implied as per laws.
- Any other condition applicable as per purchase order issued.

For Techno India NJR Institute of Technology
 पंकज पौरवाल
 Dr. Pankaj Kumar Porwal
 (Principal)

For : Prompt Infracom Pvt. Ltd.

Techno India NJR 2020-21
Internet Charges

Ledger Account

1-Apr-2019 to 30-Apr-2020

Date	Particulars	Vch Type	Vch No.	Debit	Credit
01-04-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 1.4.19 to 30.4.19 vide bill no 90</i>	Journal	605	26550.00	
01-05-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 1.5.19 to 31.5.19 vide bill no. 562</i>	Journal	1013	26550.00	
01-06-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 1.6.19 to 30.6.19 vide bill no 1082</i>	Journal	1501	26550.00	
24-06-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 19.6.19 to 30.6.19 vide bill no. 1477</i>	Journal	1629	9912.00	
01-07-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 1.7.19 to 31.7.19 vide bill no1575</i>	Journal	1670	24780.00	
12-07-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 1.7.19 to 31.7.19 vide bill no 1886</i>	Journal	1699	24780.00	
01-08-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 1.8.19 to 31.8.19 vide bill no 2208</i>	Journal	1834	24780.00	
01-08-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 1.8.19 to 31.8.19 vide bill no 2207</i>	Journal	1835	24780.00	
01-09-2019 To	Prompt Infracom Pvt Ltd <i>Being amount incurred for internet at Kaladwas from 1.9.19 to 30.9.19 vide bill no 2741</i>	Journal	2428	24780.00	
01-09-2019 To	Prompt Infracom Pvt Ltd	Journal	2430	24780.00	

For Techno India NJR Institute of Technology
पंकज पोरवाल
Dr. Pankaj Kumar Porwal
(Principal)

Being amount incurred for
internet at Kaladwas from 1
March to 31 March 20 vide
bill no. 5598 5607

01-04-2020 To	Prompt Infracom Pvt Ltd	Journal	4	49560.00	
	<i>Being amount incurred for internet at Kaladwas from 1 April to 30 April 20 vide bill no.53 63 (94)</i>				
				644162.00	
By	Closing Balance				644162.00
				644162.00	644162.00

For Techno India NJR Institute of Technology
पंकज पौरवाल
Dr. Pankaj Kumar Porwal
(Principal)

Tax Invoice

(ORIGINAL FOR RECIPIENT)

SYNERGY SYSTEMS
 15-VINAYAK NAGAR COMPLEX
 OPP. MAA SATIYA, AAYAD
 UDAIPUR
 GSTIN/UIN: 08AKUPB4713D1ZB
 State Name : Rajasthan, Code : 08
 E-Mail : boonlia@synergysystemsindia.com

Invoice No. G/0277/2019-2020	Dated 14-Jan-2020
Delivery Note	Mode/Terms of Payment
Supplier's Ref. G/0277/2019-2020	Other Reference(s)
Buyer's Order No.	Dated
Despatch Document No.	Delivery Note Date
Despatched through	Destination
Terms of Delivery	

Buyer
Techno India NJR Institute of Technology
 Bhamashah (RIICO) Industrial Area, Kaladwas
 Udaipur
 State Name : Rajasthan, Code : 08

SI No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Disc. %	Amount
1	SOPHOS XG 210 Sophos XG 210 Firewall Appliances (XG21T3HIN) S/no C2307633X98P7F0	9973	1.00 nos	1.00	nos		1.00
2	SOPHOS XG 210 Sophos XG 210 Fullguard with Enhanced Support- 36 MOS (XF213CSEA) S/no FGXG21036-FY964Q233	9973	1.00 nos	1,46,499.00	nos		1,46,499.00
							1,46,500.00
							13,185.00
							13,185.00
CGST @ 9%							
SGST @ 9%							
Total			2.00 nos				1,72,870.00 ₹

For Techno India NJR Institute of Technology

पंकज पुरवाल
Dr. Pankaj Kumar Porwal
(Principal)

Amount Chargeable (in words) E. & O.E
One Lakh Seventy Two Thousand Eight Hundred Seventy INR Only


HSN/SAC	Taxable Value	Central Tax		State Tax		Total
		Rate	Amount	Rate	Amount	Tax Amount
9973	1,46,500.00	9%	13,185.00	9%	13,185.00	26,370.00
Total	1,46,500.00		13,185.00		13,185.00	26,370.00

Tax Amount (in words) : **Twenty Six Thousand Three Hundred Seventy INR Only**

Company's PAN : **AKUPB4713D**

Declaration
 We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

Company's Bank Details
 Bank Name : Punjab National Bank 0458012100001781
 A/c No. : 0458012100001781
 Branch & IFS Code : St. Taresa School & PUNB0472100


For SYNERGY SYSTEMS
 Authorised Signatory
 Authorised Signatory

This is a Computer Generated Invoice

Hosts

2020-01-01 00:00:00 - 2020-12-31 23:59:59

Appliance:

XG210

Appliance key:

C2307633X98P7F0

Firmware version:

SFOS 18.0.4 MR-4

Filter(s) applied while generating this report:























































None

For Techno India NJR Institute of Technology
पंकज पौरवाल
Dr. Pankaj Kumar Porwal
(Principal)

Server time :

Sat May 08 13:36:21 2021

1.Hosts

HOST	BYTES	PERCENT
172.16.53.161	79.78 GB 	8.07 % 
172.16.1.4	74.48 GB 	7.53 % 
172.29.239.180	54.97 GB 	5.56 % 
172.29.239.240	53.65 GB 	5.42 % 
172.16.53.75	45.12 GB 	4.56 % 
172.16.52.69	39.51 GB 	3.99 % 
172.16.55.194	34.68 GB 	3.51 % 
172.29.239.253	28.78 GB 	2.91 % 
172.16.52.75	26.42 GB 	2.67 % 
172.16.54.86	23.44 GB 	2.37 % 
172.16.52.254	23.16 GB 	2.34 % 
172.16.56.191	21.88 GB 	2.21 % 
172.29.239.206	20.98 GB 	2.12 % 
172.29.239.249	20.92 GB 	2.11 % 
172.16.57.106	20.54 GB 	2.08 % 
172.29.239.248	19.01 GB 	1.92 % 
172.29.239.244	17.14 GB 	1.73 % 
172.16.53.236	15.56 GB 	1.57 % 
172.16.57.221	14.31 GB 	1.45 % 
172.29.239.238	13.27 GB 	1.34 % 
172.16.57.75	13.24 GB 	1.34 % 
172.16.52.137	12.74 GB 	1.29 % 
172.29.239.232	12.38 GB 	1.25 % 
172.16.56.118	12.23 GB 	1.24 % 
172.16.57.110	12.18 GB 	1.23 % 
172.16.57.239	12.03 GB 	1.22 % 
172.16.55.213	11.86 GB 	1.2 % 
172.16.55.175	11.08 GB 	1.12 % 
172.16.54.159	10.8 GB 	1.09 % 
172.29.239.15	9.81 GB 	0.99 % 
172.16.52.77	9.32 GB 	0.94 % 
172.29.239.235	9.15 GB 	0.92 % 
172.16.53.188	9.06 GB 	0.92 % 

HOST	BYTES	PERCENT
172.16.54.82	8.85 GB	0.89 %
172.29.239.215	8.38 GB	0.85 %
172.16.57.72	7.8 GB	0.79 %
172.29.239.230	7.72 GB	0.78 %
172.16.53.243	7.38 GB	0.75 %
172.16.53.48	6.38 GB	0.64 %
172.29.239.205	6.24 GB	0.63 %
172.29.239.231	6.18 GB	0.62 %
172.16.57.147	5.99 GB	0.61 %
172.16.53.50	5.88 GB	0.59 %
172.29.239.199	5.6 GB	0.57 %
172.16.57.2	5.54 GB	0.56 %
172.29.239.186	5.15 GB	0.52 %
172.29.239.241	4.83 GB	0.49 %
172.16.52.145	4.66 GB	0.47 %
172.16.52.184	4.54 GB	0.46 %
172.16.58.24	4.47 GB	0.45 %
172.29.239.203	4.44 GB	0.45 %
172.16.53.4	4.18 GB	0.42 %
172.29.239.170	4.16 GB	0.42 %
172.16.54.234	4.05 GB	0.41 %
172.16.58.163	3.78 GB	0.38 %
172.16.56.1	3.62 GB	0.37 %
172.16.56.247	3.61 GB	0.36 %
172.16.1.78	3.43 GB	0.35 %
172.16.57.31	3.29 GB	0.33 %
172.16.56.119	3.19 GB	0.32 %
172.16.57.35	2.76 GB	0.28 %
172.16.58.23	2.59 GB	0.26 %
172.16.57.144	2.5 GB	0.25 %
172.29.239.168	2.13 GB	0.22 %
172.29.239.213	1.88 GB	0.19 %
172.16.57.203	1.8 GB	0.18 %
172.16.57.208	1.8 GB	0.17 %
172.16.52.148	1.71 GB	0.17 %

For Techno India IJR Institute of Technology
 पंकज पोखरण
 Dr. Pankaj Kumar Porwal
 (Principal)
 Server Time : Sat May 08 13:33:27 (IST)

HOST	BYTES	PERCENT
172.16.52.149	1.68 GB	0.17 %
172.16.54.83	1.67 GB	0.17 %
172.16.57.146	1.52 GB	0.15 %
172.16.53.196	1.51 GB	0.15 %
172.16.53.2	1.37 GB	0.14 %
172.16.57.26	1.36 GB	0.14 %
172.16.54.111	1.13 GB	0.11 %
172.29.236.10	935.48 MB	0.09 %
172.29.239.217	886.7 MB	0.09 %
172.16.57.215	782.63 MB	0.08 %
172.29.239.191	777.14 MB	0.08 %
172.16.56.253	776.84 MB	0.08 %
172.16.58.226	739.27 MB	0.07 %
172.16.58.25	727.9 MB	0.07 %
182.71.16.46	706.88 MB	0.07 %
172.16.57.149	632 MB	0.06 %
172.16.57.93	630.38 MB	0.06 %
172.29.239.225	575.1 MB	0.06 %
172.16.52.139	535.5 MB	0.05 %
172.16.59.252	506.05 MB	0.05 %
96.255.52.56	505.19 MB	0.05 %
172.16.57.127	499.11 MB	0.05 %
172.16.1.119	487.76 MB	0.05 %
172.16.54.28	438.25 MB	0.04 %
172.16.57.145	437.92 MB	0.04 %
172.16.56.17	388.76 MB	0.04 %
172.16.54.14	384.87 MB	0.04 %
172.16.57.94	374.16 MB	0.04 %
172.16.52.245	356.1 MB	0.04 %
172.16.57.119	334.66 MB	0.03 %
172.16.53.1	314.44 MB	0.03 %
172.16.53.163	313.34 MB	0.03 %
172.29.239.219	310.64 MB	0.03 %
103.215.149.18	309.86 MB	0.03 %
179.189.52.130	307.28 MB	0.03 %

HOST	BYTES	PERCENT
172.16.57.86	299.59 MB	0.03 %
172.16.57.142	287.88 MB	0.03 %
172.29.239.16	272.42 MB	0.03 %
172.16.53.164	243.55 MB	0.02 %
172.16.57.102	235.85 MB	0.02 %
103.127.29.228	229.36 MB	0.02 %
172.16.54.35	225.2 MB	0.02 %
172.16.59.158	198.45 MB	0.02 %
51.89.234.76	196.12 MB	0.02 %
136.232.208.146	193.81 MB	0.02 %
157.38.40.95	185.38 MB	0.02 %
172.29.239.176	183.99 MB	0.02 %
172.16.54.128	183.34 MB	0.02 %
172.16.53.136	171.86 MB	0.02 %
172.16.54.101	168.82 MB	0.02 %
118.69.196.114	163.38 MB	0.02 %
94.139.188.117	161.51 MB	0.02 %
45.125.65.90	159.29 MB	0.02 %
172.16.55.255	158.28 MB	0.02 %
172.16.57.99	157.53 MB	0.02 %
172.16.55.254	144.74 MB	0.01 %
103.224.181.25	132.03 MB	0.01 %
185.153.197.180	129.22 MB	0.01 %
172.16.56.16	124.95 MB	0.01 %
91.241.19.67	123.1 MB	0.01 %
157.38.59.23	115.84 MB	0.01 %
116.236.114.91	112.53 MB	0.01 %
171.244.37.236	110.52 MB	0.01 %
115.111.75.27	107.15 MB	0.01 %
172.16.59.190	105.52 MB	0.01 %
172.29.239.224	105.47 MB	0.01 %
172.29.239.212	104.23 MB	0.01 %
45.251.34.214	103.32 MB	0.01 %
172.16.56.13	98.47 MB	0.01 %
202.164.208.19	97.52 MB	0.01 %

For Techno India NJR Institute of Technology
 पंजाब विश्वविद्यालय

Server Time : Sat May 08 2021 13:27:18 IST 2021
 Dr. Pankaj Kumar Porwal
 (Principal)

HOST	BYTES	PERCENT
157.37.112.114	93.38 MB	0.01 %
172.16.56.15	89.69 MB	0.01 %
193.142.146.215	89.59 MB	0.01 %
122.163.126.45	88.95 MB	0.01 %
106.51.0.152	86.66 MB	0.01 %
31.128.78.243	82.41 MB	0.01 %
163.44.196.16	78.57 MB	0.01 %
186.1.29.234	77.17 MB	0.01 %
185.153.199.115	73.96 MB	0.01 %
221.121.12.239	69.85 MB	0.01 %
185.153.197.202	65.82 MB	0.01 %
123.108.35.154	65.78 MB	0.01 %
172.16.59.189	65.74 MB	0.01 %
163.44.196.51	61.15 MB	0.01 %
91.241.19.99	61.08 MB	0.01 %
27.74.252.196	59.1 MB	0.01 %
92.222.198.241	58.96 MB	0.01 %
103.218.228.172	58.88 MB	0.01 %
172.16.54.84	58.84 MB	0.01 %
172.29.239.12	58.05 MB	0.01 %
183.82.106.137	57.46 MB	0.01 %
157.38.37.197	56.56 MB	0.01 %
94.232.43.210	56.53 MB	0.01 %
172.16.55.197	54.84 MB	0.01 %
172.16.1.133	53.35 MB	0.01 %
172.16.60.105	50.92 MB	0.01 %
185.153.199.182	50.85 MB	0.01 %
64.5.122.226	50.66 MB	0.01 %
185.153.199.135	49.99 MB	0 %
218.201.228.167	49.87 MB	0 %
14.241.230.179	48.9 MB	0 %
112.133.214.18	48.76 MB	0 %
103.41.28.163	48.44 MB	0 %
185.153.196.8	47.35 MB	0 %
141.98.10.169	47.03 MB	0 %

For Techno India NJR Institute of Technology
 पंकज पौरवाल
 Dr. Pankaj Kumar Porwal
 (Principal)
 Server Time : Sat May 08 12:05:17 IST 2021

HOST	BYTES	PERCENT
45.117.30.117	46.15 MB	0 %
185.153.197.205	46.11 MB	0 %
190.212.234.27	44.78 MB	0 %
125.212.237.170	43.52 MB	0 %
103.16.222.50	43.31 MB	0 %
163.44.196.137	43.12 MB	0 %
115.186.182.72	42.38 MB	0 %
103.215.124.236	41.93 MB	0 %
157.47.197.249	40.4 MB	0 %
172.29.239.200	39.88 MB	0 %
198.98.55.46	39.15 MB	0 %
91.241.19.58	38.58 MB	0 %
79.124.62.46	36.79 MB	0 %
193.106.29.218	35.89 MB	0 %
166.62.33.218	34.06 MB	0 %
95.141.198.235	33.5 MB	0 %
172.16.58.66	33.04 MB	0 %
186.4.207.202	32.73 MB	0 %
62.234.78.193	32.64 MB	0 %
95.141.198.234	31.93 MB	0 %
203.109.125.168	31.67 MB	0 %
103.74.93.21	30.86 MB	0 %
185.202.1.77	30.75 MB	0 %
172.29.239.197	30.27 MB	0 %
171.244.40.35	29.46 MB	0 %
95.141.198.236	28.14 MB	0 %
Others	1.52 GB	0 %

Application users

2020-01-01 00:00:00 - 2020-12-31 23:59:59

Appliance:
XG210

Appliance key:
C2307633X98P7F0

Firmware version:
SFOS 18.0.4 MR-4

Filter(s) applied while generating this report:
None

For Techno India NJR Institute of Technology
पंकज पौरवाण
Dr. Pankaj Kumar Porwal
(Principal)

1.Application users

USER	BYTES		PERCENT	
Unidentified	121.26 GB	<div style="width: 12.26%;"></div>	12.26 %	<div style="width: 12.26%;"></div>
cse.chittora	80.12 GB	<div style="width: 8.1%;"></div>	8.1 %	<div style="width: 8.1%;"></div>
akshat	65.44 GB	<div style="width: 6.62%;"></div>	6.62 %	<div style="width: 6.62%;"></div>
civil.bhupendra	54.39 GB	<div style="width: 5.5%;"></div>	5.5 %	<div style="width: 5.5%;"></div>
kailash	50.08 GB	<div style="width: 5.06%;"></div>	5.06 %	<div style="width: 5.06%;"></div>
gauravkumawat	44.92 GB	<div style="width: 4.54%;"></div>	4.54 %	<div style="width: 4.54%;"></div>
ee.saurabh	43.23 GB	<div style="width: 4.37%;"></div>	4.37 %	<div style="width: 4.37%;"></div>
prerna.101	41.81 GB	<div style="width: 4.23%;"></div>	4.23 %	<div style="width: 4.23%;"></div>
civil.lokesh	40.37 GB	<div style="width: 4.08%;"></div>	4.08 %	<div style="width: 4.08%;"></div>
khushboo.102	38.06 GB	<div style="width: 3.85%;"></div>	3.85 %	<div style="width: 3.85%;"></div>
yogendra	34.44 GB	<div style="width: 3.48%;"></div>	3.48 %	<div style="width: 3.48%;"></div>
cse.jitendra	32.8 GB	<div style="width: 3.32%;"></div>	3.32 %	<div style="width: 3.32%;"></div>
bs.samina	31.88 GB	<div style="width: 3.22%;"></div>	3.22 %	<div style="width: 3.22%;"></div>
me.abhishek	30.19 GB	<div style="width: 3.05%;"></div>	3.05 %	<div style="width: 3.05%;"></div>
vivekjain	27.52 GB	<div style="width: 2.78%;"></div>	2.78 %	<div style="width: 2.78%;"></div>
eee.rajkumar	27.23 GB	<div style="width: 2.75%;"></div>	2.75 %	<div style="width: 2.75%;"></div>
pankajporwal	23.16 GB	<div style="width: 2.34%;"></div>	2.34 %	<div style="width: 2.34%;"></div>
lokeshmalviya	22.67 GB	<div style="width: 2.29%;"></div>	2.29 %	<div style="width: 2.29%;"></div>
nitin.kothari	20.9 GB	<div style="width: 2.11%;"></div>	2.11 %	<div style="width: 2.11%;"></div>
akhilesh.arya	17.84 GB	<div style="width: 1.8%;"></div>	1.8 %	<div style="width: 1.8%;"></div>
yasmin	17.75 GB	<div style="width: 1.79%;"></div>	1.79 %	<div style="width: 1.79%;"></div>
18etcee005	16.11 GB	<div style="width: 1.63%;"></div>	1.63 %	<div style="width: 1.63%;"></div>
civil.jitendra	15.99 GB	<div style="width: 1.62%;"></div>	1.62 %	<div style="width: 1.62%;"></div>
18etcec301	15.56 GB	<div style="width: 1.57%;"></div>	1.57 %	<div style="width: 1.57%;"></div>
cse.aaditya	14.54 GB	<div style="width: 1.47%;"></div>	1.47 %	<div style="width: 1.47%;"></div>
cse.prasun	11.94 GB	<div style="width: 1.21%;"></div>	1.21 %	<div style="width: 1.21%;"></div>
kunjpreet	11.08 GB	<div style="width: 1.12%;"></div>	1.12 %	<div style="width: 1.12%;"></div>
i3.mamta	10.07 GB	<div style="width: 1.02%;"></div>	1.02 %	<div style="width: 1.02%;"></div>
chandrashekhar	7.46 GB	<div style="width: 0.75%;"></div>	0.75 %	<div style="width: 0.75%;"></div>
himmat.118	5.83 GB	<div style="width: 0.59%;"></div>	0.59 %	<div style="width: 0.59%;"></div>
exam.neeraj	4.78 GB	<div style="width: 0.48%;"></div>	0.48 %	<div style="width: 0.48%;"></div>
18etcee003	3 GB	<div style="width: 0.3%;"></div>	0.3 %	<div style="width: 0.3%;"></div>
i3lab.samina	2.23 GB	<div style="width: 0.22%;"></div>	0.22 %	<div style="width: 0.22%;"></div>

USER	BYTES	PERCENT
madhu	1.51 GB	0.15 %
17etccs008	1.19 GB	0.12 %
rajendra.lohar	1005.47 MB	0.1 %
pushpa.vyas	419.52 MB	0.04 %
cpjain	221.53 MB	0.02 %
devops	133.55 MB	0.01 %
shivani	58.84 MB	0.01 %



TECHNO INDIA NJR INSTITUTE OF TECHNOLOGY

Approved by AICTE & Affiliated to Rajasthan Technical University

www.technonjr.org

NJR Knowledge Campus, Plot-SPL-T, Bhamashah (RIICO) Industrial Area, Kaladwas, Udaipur - 313003 (Raj.)
Tel. : +91 2942650214-17 Fax :+91 2942650218, Email : technonjr@gmail.com, director@technonjr.org

To whomsoever it may concern

This is to certify that the institute has two internet connection of bandwidth **60MBPS (30 MBPS + 30 MBPS)**. Both the internet lines are protected by SOPHOS firewall and connected to 450 machines in various labs through LAN. In addition there is WiFi access for student and faculty laptops. Equipment details for Wi-Fi establishment are as follows.

S.No	Name of Equipments	Quantity	Specifications	
1.	Tech routes 1725 router	01	CPU	Motorola MPC860T 50MHz
			Flash	32MB
			Memory	SDRAM 64MB
			EPROM	512K
			Interface	1 console port 2 10/100M Fast Ethernet Port 1 CE1 Port
			Dimensions (L x W x H)	445mm x 310mm x 45mm
2.	Sophos XG firewall	01	Type	VPN Firewall
			Form Factor	Standalone
			Brand	Sophos
			Model	XG210
			MPN	APL19-05C
			Connectivity	Wired - Ethernet (RJ-45)
			Number of LAN Ports	08
			Number of WAN Ports	4
3.	D-link DES 1226G	01	Description	DES-1226G Web Smart (24) Ports 10/100Mbps with 2 combo copper gigabit/SFP ports
			MAC Address Table	6K
			Switch Fabric	8.8Gbps
			Transmission Method	Store-and-forward
			Diagnostic	Per Unit: Power

For Techno India NJR Institute of Technology
पंकज पौरवाल
Dr. Pankaj Kumar Porwal
(Principal)

			LEDs	Per Port: Activity/Link & Speed
			Packet Buffer Memory	512KB
			Max Power Consumption	16 Watts
4.	Cisco catalyst switch 2690	04	24 ports of Gigabit Ethernet desktop connectivity with two 10 Gigabit Ethernet SFP+ Uplinks	
			Industry first PoE+ with up to 30W per port	
			Cisco FlexStack stacking module with 40 Gbps of throughput, allowing ease of operation with single configuration and simplified switch upgrade	
			Catalyst Smart Operations allows for zero touch deployment	
			Cisco Auto Smartports enables automatic configuration by connected device type	
			Superior Layer 2 threat defense capabilities	
			Enhanced Cisco EnergyWise to measure, report and reduce energy usage across the entire organization	
			Supports Virtual Area Network	
5.	D-link Switch DFS1224D	01	MAC Address Table Size	8K
			Switch	48Gbps Forwarding Capacity
			Transmission Method	Store-and-Forward
			Diagnostic LEDs	Per Unit: Power Per Port: Activity/Link, Speed
			Packet Buffer Memory	On ship: 512KBytes Buffer Memory per Device
			Max Power Consumption	19.1 Watts
			QoS	802.1p (4 Queues)
			Total Ports	24
			Interface RJ-45	10/BASE-T, 100BASE-TX, and 1000BASE-T
			Description	24-Port Gigabit Switch, Desktop/Rackmountable, D-Link Green
6.	IBM Blade center	01	Form factor/height	Rack mount chassis/9U
			Blade bays	Up to 14
			Interface	GUI/ CLI
			Features	VLAN, Port Filtering, Line Aggregation, , Port Trunks,

For Techno India NJR Institute of Technology
 पंकज पौराणिक
 Dr. Pankaj Kumar Porwal
 (Principal)

				Remote Monitoring
			Internal Ports	14 full duplex gigabit ports 02 internal 100 Mbps ports
			External Ports	06 10/100/1000 Mbps interface
			Light path diagnostics	Blade server, processor, memory, power supplies, blowers, switch module, management module, internal storage and expansion card
			Application Service	MERCE (License Expired in April 2012)
7.	IBM application server	01	Processor	Four-core Intel ® Xeon E5620 2.40 GHz with 12 MB of cache per processor socket standard or six-core Intel Xeon X5675 3.06 GHz with 12 MB of cache per processor socket (configure to order only)
			Memory	16 DIMM slots maximum, 128 GB with DDR-3 1333 MHz RDIMMs or 48 GB with DDR-3 1333 MHz UDIMMs
			Expansion slots	Five PCIe and 1 PCI standard; additional 2 PCI-X or 1 PCIe
			Disk bays	Standard with four 3.5" simple-swap Serial ATA (SATA) or four 3.5" hot-swap SATA/Serial Attached SCSI (SAS) HDDs or eight or sixteen 2.5" hot-swap SAS/SATA HDDs. Eight 3.5" hot-swap SAS/SATA HDDs1
			Network interface	Integrated dual Gigabit Ethernet
			RAID support	Integrated 6 Gbps or 3 Gbps RAID-0, -1, -1E (model dependent), optional RAID-10, -5, -50, -6, -60
			Systems management	Integrated systems management processor
8.	Hp Server HP Pro 3090 MT	01	Model	HP PRO 3090 Microtower PC
			Processor	Intel (R) Core (TM) 2 Duo CPU E7500 @2.93 GHz
			OS	Windows XP Professional (5.1) Service Pack 3
			RAM	2 GB RAM
			Hard Disk	360 GB HDD
			Monitor	HPL 1506 TFT Monitor
9.	Hp Xeon Server	01	Model	ProLiant ML10
			Processor	Xeon
			OS	Windows 10, Ubuntu 16.04

For Techno India NJR Institute of Technology
 पंजाब पौराणिक
 Dr. Pankaj Kumar Porwal
 (Principal)

			RAM	16 GB RAM
			Hard Disk	1 TB HDD
			Monitor	HP 22-inch TFT Monitor
10.	Hp Xeon Server ProLiant	02	Model	HP ProLiant ML110 G4 Tower Server 432535-035
			Processor	Xeon 3040 1.86GHz
			OS	Windows 7, Ubuntu 16.04
			RAM	4 GB RAM
			Hard Disk	1 TB HDD
			Monitor	HP 18.5 TFT Monitor
11.	D-Link Wi-Fi DWL-2100AP	25	Service Pack SP1 v.275	
			2.4GHz Processor	
			WPA & 802.1x Authentication	
			SNMP Management Software Included	
			Also Works as Point-To-Point Bridge, Point-to-Multipoint Bridge, Repeater, Wireless Client	
12.	TP link Wi-Fi	01		TP-Link 2.4GHz 300Mbps 12dBi Outdoor CPE
13.	Outdoor AP	01		High Power 300Mbps AP/Client - 15dbi Panel antenna - WPA/WPA2 encryptions for defense against security threats - Seamlessly compatible with 802.11 a/n devices - Supports 24V/1A PoEAC 1200 Mbps dual band access Point
14.	AIRPRO XDS9500S	02		AIRPRO XDS9500S 500MW, 300MBPS HIGH SPEED QUICK OVERVIEW High Power 300Mbps Access Point 2*5 dbi MIMO Antenna WPA/WPA2 encryptions for defense against security threats Seamlessly compatible with 802.11b/g/n devices Supports 24V/1A PoE. Support Multiple SSID Support 802.1Q VLAN
15.	Xiaomi Mi	03		Xiaomi Mi WIFI Router 4C 64 RAM 802.11 b/g/n 2.4G 300Mbps 4 Antennas Smart APP Control Band Wireless Routers Repeater
16.	Airtel	01		leased line with fiber connectivity of @ 60 Mbps(1:1)
17.	NetlinkInt	01		NetlinkInt Internet leased line bandwidth @ 10 Mbps (1:1)

13.	BSNL Broad band connection of 5 Mbps	01	BSNL	
14.	Jio Fiber Connection 100 Mbps	01	Jio Fiber	
15.	D-Link Switch DES104D	08	MAC Address Table Size	8K
			Switch Fabric	48Gbps Forwarding Capacity
			Transmission Method	Store-and-Forward
			Diagnostic LEDs	Per Unit: Power Per Port: Activity/Link, Speed
			Packet Buffer Memory	On ship: 512KBytes Buffer Memory per Device
			Max Power Consumption	19.1 Watts
			QoS	802.1p (4 Queues)
			Total Ports	24
			Interface RJ-45	10/BASE-T, 100BASE-TX, and 1000BASE-T
			Description	24-Port Gigabit Switch, Desktop/Rackmountable, D-Link Green
15	D-Link Switch DES1024D	04	MAC Address Table Size	8K
			Switch Fabric	48Gbps Forwarding Capacity
			Transmission Method	Store-and-Forward
			Diagnostic LEDs	Per Unit: Power Per Port: Activity/Link, Speed
			Packet Buffer Memory	On ship: 512KBytes Buffer Memory per Device
			Max Power Consumption	19.1 Watts
			QoS	802.1p (4 Queues)
			Total Ports	24
			Interface RJ-45	10/BASE-T, 100BASE-TX, and 1000BASE-T
			Description	24-Port Gigabit Switch, Desktop/Rackmountable, D-Link Green