All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India).



Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 https://www.aicte-india.org

APPROVAL PROCESS 2018-19

Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Yes

	Regional Office	e North-West	
Application Id	<mark>1-3512943905</mark>	Permanent Id	<mark>1-4479011</mark>
Name of the Institute	TECHNO INDIA NJR INSTITUTE OF TECHNOLOGY	Address	PLOT SPL T BHAMASHAH INDUSTRIAL AREA KALADWAS
City/Village	UDAIPUR	District	UDAIPUR
State	Rajasthan	Pin	313003

Overall Deficiency of Institute:

Designat	tion	Name	Appointment Type	Qualification	PhD
Principal/	Director	PANKAJ KUMAR PORWAL	Regular	B.TECH., ,	Yes
Other D	etails				
Sr. No.	Details of Re	quirement		Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal		Yes	No	
2	Are all approved teaching faculty being paid as per VI pay commission?		Yes	No	
3	Whether Institute is operating from Permanent Site/ Temporary Site?		Permanent Site	No	
4	Fees to be charged, Reservation policy, Admission policy and		Yes	No	
	Document retention policy are uploaded in Institute's Website?				
5	Courses/App	roved Intake displayed at the entra	nce of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status					
Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency		
1	Constitution of Anti-Ragging Committee	Yes	No		
2	Constitution of Anti-Ragging Squad	Yes	No		
3	Undertaking obtained from all Students	Yes	No		
4	Appointment of Counselors	Yes	No		
5	Undertaking obtained from parents of all the students	Yes	No		
6	Undertaking obtained from students staying in Hostel	Yes	No		
7	Undertaking obtained from parents of students staying in Hostel	Yes	No		

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No
		L	

(i) No. of Students UG 2160 (ii) No. of Students PG 72 (iii) No. of Students DIPLOMA 0 Total Students (CI) (UG+PG+DIPLOMA) 2232	Total Nu	Total Number of Students in Institute				
(iii) No. of Students DIPLOMA 0	(i)	No. of Students UG	2160			
	(ii)	No. of Students PG	72			
Total Students (CI) (UG+PG+DIPLOMA) 2232	(iii)	No. of Students DIPLOMA	0			
		Total Students (CI) (UG+PG+DIPLOMA)	2232			


<u>Faculty</u>			
Institute Level Faculty			
Туре	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	58	105	Yes

Туре	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	50	30	No
Board Room	34	20	No
Office All Inclusive	162	150	No
Department Offices/Cabin for Head of Dept	192	120	No
Central Store	32	30	No
Maintenance	22	10	No
Security	22	10	No
Housekeeping	32	10	No
Pantry for Staff/Faculty	32	10	No
Exam Control Office	32	30	No
Training Placement Office	34	30	No

Amenities Area

Application Status: Submitted

Application Sub-Status: Payment Received



Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
100	75	No
80	75	No
150	150	No
32	10	No
32	10	No
	100 80 150 32	100 75 80 75 150 150 32 10

Computational Facilities					
Туре	Available	Required	Deficiency		
Internet Bandwidth	70	32	No		
Printers	20	19	No		
A1 size Color Printers	0	0	No		
Legal Application S/W	23	20	No		
Legal System S/W	4	3	No		
PCs to Student ratio	440	378	No		

Library Facilities

Туре	Available	Required	Deficiency
Volumes	41028	16100	No
Titles	3100	2700	No
National Journals	52	52	No
Library Management Software	1	1	No
Reading Room Capacity	150	150	No
MultiMediaPC	10	10	No

Instructional Area-Common Facilities

Туре	Available	Required	Deficiency
Computer Center	150	150	No
Library & Reading Room	550	530	No
Language Laboratory	80	66	No

Land Area Details

Туре	Available	Required	Deficiency
Total Area of Land	10	2.5	No
Maximum number of Pieces	1	2	No
Minimum per Piece of Area	10	2.5	No

ENGINEERING AND TECHNOLOGY / Existing Programme

Туре	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2061	2013	No
Additional Workshop/Labs	UG/PG	806	800	No
Class Rooms - PG	POST GRADUATE	108	66	No
Laboratories-All	UG/PG	3953	3948	No
Workshops - Basic	UG/PG	200	200	No
Drawing Halls	UG/PG	150	132	No
Seminar Hall	UG/PG	712	528	No


Other Facilities					
Sr. No.	Туре	Type Availability			
1	All Weather Approach (Motorised Road)	Yes	No		
2	Barrier free Environment	Yes	No		
3	Electric Supply	Yes	No		
4	General Insurance	Yes	No		
5	Institution Web Site	Yes	No		
6	Standalone Language Laboratory	Yes	No		
7	Medical & Counseling	Yes	No		
8	Notice Boards	Yes	No		
9	Potable Water Supply	Yes	No		
10	Safety Provisions	Yes	No		
11	Sewage Disposal System	Yes	No		



Application Deficiency Report



Report Generated on :-07/02/2018



DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

Computational Facilities						
Туре	Available	Required	Deficiency			
Internet Bandwidth-Applied Intake	70	48	No			
Printers-Applied Intake	20	18	No			
A1 size Color Printers-Applied Intake	0	0	No			
Legal Application S/W-Applied Intake	23	20	No			
Legal System S/W-Applied Intake	4	3	No			
PCs to Student ratio-Applied Intake	440	358	No			

Library Facilities Available Required Deficiency Туре 16100 Volumes 41028 No 3100 3050 Titles No National Journals 52 52 No Library Management Software No 1 1 Reading Room Capacity 150 150 No **MultiMediaPC** 10 10 No

ENGINEERING AND TECHNOLOGY / Existing Programme

Туре	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2061	1947	No
Additional Workshop/Labs	UG/PG	806	400	No
Class Rooms - PG	POST GRADUATE	108	99	No
Laboratories-All	UG/PG	3953	3816	No
Workshops - Basic	UG/PG	200	200	No
Drawing Halls	UG/PG	150	132	No
Seminar Hall	UG/PG	712	660	No

Application Status: Submitted Application Sub-Status: Payment Received



<u>Note</u>

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data Blank Field-Data Not Entered

* Laboratoria required and

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

- ** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable
- *** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

***Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Application Status: Submitted Application Sub-Status: Payment Received



DECLARATION BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

 f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions,
Extended EoA(if Applicable as per APH 2018-19),
Merger of Courses,
only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department